

Test Report

No. AJFS1801000884FF

Date: FEB.01, 2018

Page 1 of 7

WINCELL INSULAITON CO., LTD

NO.18-28 TONGJIANG ROAD, TAIXING, JIANGSU, PRC

The following sample(s) was / were submitted and identified on behalf of the client as:

Sample Description: RUBBER INSULATION MATERIALS**SGS Ref No.:** 13954075**Test Requested:**

1. BS 476 Part 6:1989+A1:2009 *Incorporating Corrigendum No.1:2014* "Fire tests on building materials and structures Part 6: Method of test for propagation for products".
2. BS 476 Part 7:1997 *Incorporating Corrigendum No.1:2014* "Fire tests on building materials and structures Part 7: Method of test to determine the classification of the surface spread of flame of products".

Test Results: -- See attached sheet --**Test Period:**

Sample Receiving Date : JAN.25, 2018

Test Performing Date : JAN.25, 2018 TO JAN.29, 2018

Signed for and on behalf of
SGS-CSTC Co., Ltd. Anji Branch

 Allen Zou
 Technical Manager

 SGS-CSTC Inspection & Testing Services Co., Ltd.
 Anji Branch Harbin

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No. 301, Sunlight Road, 2 Block, Sunlight Industry Zone, Anji County, Zhejiang Province, China 313300 t (86-572) 5018825 f (86-572) 5018829 www.sgs.com
 中国·浙江·安吉县阳光工业园二区阳光大道301号 邮编:313300 t (86-572) 5018825 f (86-572) 5018829 e sgs.china@sgs.com

1. BS 476 Part 6:1989 + A1:2009 *Incorporating Corrigendum No.1:2014*

I. Test conducted

This test was performed in accordance with the procedure specified in BS 476 Part 6:1989 + A1:2009 *Incorporating Corrigendum No.1:2014* "Fire tests on building materials and structures—Part 6:Method of test for fire propagation for products".

II. Sample details

Sample description	Rubber Insulation Materials
Thickness	About 19mm
Color	Black
Specimen size	225mm×225mm

III. Test details

Conditioning of specimens:	Prior to testing, the sample was conditioned to constant mass at a temperature of 23 ± 2 °C, and a relative humidity of 50 ± 5 %, and maintained in this condition until required for testing.
Exposed Face:	One surface
Form in which the specimens were tested:	Material

IV. Test results

Throughout the test on each specimen, carefully observe the material's behaviour within the apparatus and take special note of any of the following phenomena listed in clause 9.2 of the standard. None of the listed phenomena was observed and the test results on all three specimens tested were valid.

The index of the performance for the specimen was determined as follows:

$$S_1 = \sum_{t=0.5}^{t=3} \frac{\theta_s - \theta_c}{10t}, \quad S_2 = \sum_{t=4}^{t=10} \frac{\theta_s - \theta_c}{10t}, \quad S_3 = \sum_{t=12}^{t=20} \frac{\theta_s - \theta_c}{10t}, \quad S = S_1 + S_2 + S_3$$

Where:

S = index of performance for each of the specimens tested and S1, S2 and S3 are sub- indices

t = Time in minutes from the origin at which readings are taken

θ_s = Temperature rise in °C for the specimen at time, t

θ_c = Temperature rise in °C for the calibration sheet at time, t

To be continued....



Fire Propagation index $I = i_1 + i_2 + i_3$

Where, i_1 , i_2 and i_3 are given by the expressions:

$$i_1 = \frac{1}{3}[(S_1)_A + (S_1)_B + (S_1)_C], \quad i_2 = \frac{1}{3}[(S_2)_A + (S_2)_B + (S_2)_C], \quad i_3 = \frac{1}{3}[(S_3)_A + (S_3)_B + (S_3)_C]$$

The following test results were obtained for each specimen tested:

Specimen No.	Sub - indices			Index of performance
	S ₁	S ₂	S ₃	S
A	4.57	2.88	1.15	8.60
B	4.65	2.86	1.21	8.72
C	4.60	2.98	1.23	8.81

Number of Specimens tested	Sub-index i_1	Sub-index i_2	Sub-index i_3	Fire Propagation index I
3	4.61	2.91	1.20	8.72

Note: If a suffix "R" is included in the above fire propagation index I, this indicates that the results should be treated with caution.

To be continued....



2. BS 476 Part 7:1997 Incorporating Corrigendum No.1:2014

I. Test conducted

This test was performed in accordance with the procedure specified in BS 476 Part 7:1997 *Incorporating Corrigendum No.1:2014* "Fire tests on building materials and structures Part 7. Method of test to determine the classification of the surface spread of flame of products".

II. Sample details

Sample description	Rubber Insulation Materials
Thickness	About 19mm
Color	Black
Specimen size	885mm×270mm

III. Test details

Conditioning of specimens:	Prior to testing, the sample was conditioned to constant mass at a temperature of 23 ± 2 °C, and a relative humidity of 50 ± 10 %, and maintained in this condition until required for testing.
Exposed Face:	One surface

Irradiance along horizontal reference line on the calibration board

Distance along reference line from inside edge of specimen holder	Irradiance kW/m ²		
	Specified	Min.	Max.
mm			
75	32.5	32.0	33.0
225	21.0	20.5	21.5
375	14.5	14.0	15.0
525	10.0	9.5	10.5
675	7.0	6.5	7.5
825	5.0	4.5	5.5

To be continued....



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No. 301, Sunlight Road, 2 Block, Sunlight Industry Zone, Anji County, Zhejiang Province, China 313300 t (86-572) 5018825 f (86-572) 5018829 www.sgs.com.cn
 中国·浙江·安吉县阳光工业园二区阳光大道301号 邮编:313300 t (86-572) 5018825 f (86-572) 5018829 e sgs.china@sgs.com

IV. Test results

SPECIMEN No.	1	2	3	4	5	6
Distance (mm)	Time to travel to indicated distance (minutes :seconds)					
75	--	--	--	--	--	--
165	--	--	--	--	--	--
190	--	--	--	--	--	--
215	--	--	--	--	--	--
240	--	--	--	--	--	--
265	--	--	--	--	--	--
290	--	--	--	--	--	--
375	--	--	--	--	--	--
455	--	--	--	--	--	--
500	--	--	--	--	--	--
520	--	--	--	--	--	--
600	--	--	--	--	--	--
675	--	--	--	--	--	--
710	--	--	--	--	--	--
750	--	--	--	--	--	--
785	--	--	--	--	--	--
825	--	--	--	--	--	--
Maximum distance traveled at 1.5 minutes (mm)	<50	<50	<50	<50	<50	<50
Maximum distance traveled during the whole test (mm)	<50	<50	<50	<50	<50	<50
Time to reach maximum distance traveled	1min	1min	1min	1min	1min	1min

Note: 1. "--" Not reached the reference line

2. Six specimens are usually tested. If the test on any specimen is deemed to be invalid, as defined in the standard, it is permissible for up to a maximum of nine specimens to be tested in order to obtain the six valid test results.

The classification limits specified in BS 476 Part 7:1997 *Incorporating Corrigendum No. 1:2014* are given in Appendix 1.

Observations during test: None

To be continued....



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No. 301, Sunlight Road, 2 Block, Sunlight Industry Zone, Anji County, Zhejiang Province, China 313300 t (86-572) 5018825 f (86-572) 5018829 www.sgs.com.cn
 中国·浙江·安吉县阳光工业园二区阳光大道301号 邮编:313300 t (86-572) 5018825 f (86-572) 5018829 e sgs.china@sgs.com

Criteria for classification:

If the prefix “D” or suffix “R” or “Y” is included in the classification, this indicates that the results should be treated with caution. An explanation of the reason for prefix and suffixes is given in Appendix 2

Appendix 1 Classification of spread of flame

Classification	Spread of flame at 1.5 min		Final spread of flame	
	Limit (mm)	Limit for one specimen in sample(mm)	Limit (mm)	Limit for one specimen in sample(mm)
Class 1	165	165+25	165	165+25
Class 2	215	215+25	455	455+45
Class 3	265	265+25	710	710+75
Class 4	Exceeding the limits for class 3			

Appendix 2 Explanation of prefix and suffixes which may be added to the classification

1. A suffix R is added to the classification if more than six specimens are required in order to obtain six valid test results (e.g. class 2R).
2. A prefix D is added to the classification of any product which does not conform to the surface characteristics specified in the standard and has therefore been tested in a modified form (e.g. class D3).
3. A suffix Y shall be added to the classification if any softening and/or other behaviour that may affect the flame spread occurs.

Classification: In accordance with the class definitions given in BS 476 Part 7:1997 *Incorporating Corrigendum No.1:2014*, the tested sample is classified as **Class 1**.

Statements:


The test results relate to the behaviour of the test specimens of a product under the particular conditions of the test. They are not intended to be the sole criterion for assessing the potential fire hazard of the product in use.

The test results relate only to the specimens of the product in the form in which were tested. Small differences in the composition or thickness of the product may significantly affect the performance during the test and may therefore invalidate the test results. Care should be taken to ensure that any product, which is supplied or used, is fully represented by the specimens, which were tested.

To be continued....



Photo Appendix:



SGS authenticate the photo on original report only

End of Report



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No. 301, Sunlight Road, 2 Block, Sunlight Industry Zone, Anji County, Zhejiang Province, China 313300 t (86-572) 5018825 f (86-572) 5018829 www.sgs.com.cn
 中国·浙江·安吉县阳光工业园二区阳光大道301号 邮编:313300 t (86-572) 5018825 f (86-572) 5018829 e sgs.china@sgs.com